



Shower
Tray



HOME
ARTIST

2026





Material Components & Technology


Is a formable reinforced thermosetting polymer material, mainly used Compression molding as well as injection molding and transfer molding. Typical applications include demanding sanitary ware, bullet trains, products requiring wear resistance, as well as aviation, new energy, wind energy, etc.

All of our molds are industry-leading, high-quality steel mold, ensuring exceptional stability and precision. Utilizing 180°C high-temperature curing and 1500-ton high-pressure forming, reduces the accuracy and flatness error to within 0.5mm, achieving the production of one shower tray every 5 minutes, and a daily production of 260 pieces per machine, significantly enhancing production efficiency.

Production pressure 1500T	Production temperature 180°C	Production time 5min/pcs	Daily output of one machine 260 pcs/per machine a day
-------------------------------------	--	------------------------------------	---

Material of the basin bottom

BMC





Seamless Elegance & Accessibility

The ultra-thin design ensures a sleek, modern aesthetic that seamlessly integrates into any bathroom. Its flush installation eliminates barriers, providing effortless accessibility, making it an ideal choice for all users, including those with reduced mobility.



Matt Surface


1. Irregular and non-repetitive natural stone patterns
2. Stone-like texture and tactile sensation
3. Texture depth that adapts to the flow of water

The textured finish provides the shower tray with a highly antislip feature(class C),achieving a great security during its use.

DIN 51097




Anti-Slip Class C



The new Shower Trays has a back structure of



Honeycomb Structure

1. Exceptional Strength and Stability: The multi-point connection design of the honeycomb structure significantly enhances overall and localized strength, ensuring long-term resistance to deformation.
2. Outstanding Load-Bearing and Support Performance: The honeycomb structure evenly distributes pressure, providing superior ground support, robust durability.
3. Effortless Installation: Easy to install meanwhile adjustable pedestal offers unparalleled flexibility and adaptability to various installation conditions.



Functional And Comfortable

Our shower tray has progressive drainage slopes (not uniform) designed to facilitate a fast water drainage. It also has a high capacity drain (0,6 L/sec) facilitating a fast water drainage ensuring a great comfort and carefree experience.




SERIES RS-A

Size

700x700x30	800x800x30	900x900x30
700x800x30	800x900x30	900x1000x30
700x900x30	800x1000x30	900x1100x30
700x1000x30	800x1100x30	900x1200x30
700x1100x30	800x1200x30	900x1300x30
700x1200x30	800x1300x30	900x1400x30
700x1300x30	800x1400x30	900x1500x30
700x1400x30	800x1500x30	900x1600x30
700x1500x30	800x1600x30	900x1700x30
700x1600x30	800x1700x30	900x1800x30
700x1700x30	800x1800x30	900x1900x30
700x1800x30	800x1900x30	900x2000x30
700x1900x30	800x2000x30	
700x2000x30		

Floor Drain Cover



Floor Drain Cover

ES-DR01 Φ90Flow:55L/min	ES-DR02 Φ90Flow:55L/min
ES-DR03 Φ90Flow:40L/min	ES-DR04 Φ90Flow:30L/min

Colors





SERIES RS-SA



Size	Floor Drain Cover		Floor Drain Cover	
800x800x30	 Inox	 Stone	ES-DR01	ES-DR02
800x1200x30			Φ90Flow:55L/min	Φ90Flow:55L/min
900x900x30			Φ90Flow:40L/min	Φ90Flow:30L/min
Colors				
				
White	Cream-yellow	Dark grey	Light grey	Black

SERIES RS-H



Size	Floor Drain Cover	Floor Drain Cover		
80x120x3	 Stone	ES-DR05 Φ90Flow:51L/min		
Colors				
				
White	Cream-yellow	Dark grey	Light grey	Black



SERIES RS-C



Size	Floor Drain Cover	Floor Drain Cover
800x1400x30	Stone	ES-DR01 Φ 90Flow:55L/min
	Inox	ES-DR02 Φ 90Flow:55L/min
		ES-DR03 Φ 90Flow:40L/min
		ES-DR04 Φ 90Flow:30L/min

Colors



SERIES RS-C



Size	Floor Drain Cover	Floor Drain Cover
900x1200x30	Stone	ES-DR01 Φ 90Flow:55L/min
	Inox	ES-DR02 Φ 90Flow:55L/min
		ES-DR03 Φ 90Flow:40L/min
		ES-DR04 Φ 90Flow:30L/min

Colors





SERIES RS-K



Size	Floor Drain Cover	Floor Drain Cover
800x1200x30	 Stone	ES-DR05 Φ90Flow:51L/min

Colors



Solid surface will not wear away
Acetone will not damage surface
Hot curling irons will not damage surface
2 or 3 panel wall system includes a back panel, 1 or 2 side panel (s)
Easy to install .can easily be carried by one person.
Shorter installation time. Lower fitting cost.



Backside display



Step 1.(square grid)



Step 2.(solid)



COORDINATED COLOURS COLLECTION

High-quality shower base, crafted with meticulous workmanship, offers various color options and textures for selection. In terms of bathroom decoration, it provides a wide range of colors and design inspirations.

Material of the basin bottom

TRADITIONAL RESIN

GEL COAT—Teeming -mould release-Shape fix-cutting - cleaning - polish



Marble powder



Calcium carbonate



Quartz



Resin



SERIES I ISS



Size

800x1000x40
800x1200x40
800x1400x40
800x1600x40
800x1700x40
900x1200x40
900x1400x40
900x1600x40

Colors



Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

SERIES I ISM



Size

800x1200x40
800x1400x40
900x900x40
900x1200x40
900x1400x40

Colors




Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min



Drain cover



Texture

SERIES 13SM



Size

800x1200x40
800x1400x40
900x900x40
900x1200x40
900x1400x40

Floor Drain Cover

ES-DR01	Φ90Flow:55L/min
ES-DR02	Φ90Flow:55L/min
ES-DR03	Φ90Flow:40L/min
ES-DR04	Φ90Flow:30L/min

Colors



SERIES 28SB



Size

700x1400x28	800x1000x28	900x1000x28
700x1500x28	800x1100x28	900x1100x28
700x1600x28	800x1200x28	900x1200x28
700x1700x28	800x1400x28	900x1400x28
	800x1500x28	900x1500x28
	800x1600x28	900x1600x28
	800x1700x28	900x1700x28

Floor Drain Cover

ES-DR01	Φ90Flow:55L/min
ES-DR03	Φ90Flow:40L/min
ES-DR02	Φ90Flow:55L/min
ES-DR04	Φ90Flow:30L/min

Material of the basin bottom

TRADITIONAL RESIN

Colors






TEXTURED SHOWER STARTING FROM THE SOLES OF YOUR FEET

This shower base is decorated with elegant marble texture on its exterior, presenting a high-end style. It is made of high-quality materials, sturdy and slip-resistant. The smooth drainage design enables quick removal of accumulated water. It is simple yet functional, easily integrating into various bathroom styles and providing you with a comfortable and reassuring shower experience.

SERIES 26MD



Size

800x1000x35
800x1200x35
800x1400x35
800x1600x35
900x900x35
900x1000x35
900x1200x35
900x1400x35
900x1600x35

Floor Drain Cover

ES-DR01 Φ90Flow:55L/min
ES-DR02 Φ90Flow:55L/min
ES-DR03 Φ90Flow:40L/min
ES-DR04 Φ90Flow:30L/min

Colors





Drain cover



Texture



Drain cover



Texture

SERIES I5MR



Size			Floor Drain Cover	
700x1700x35	800x1000x35	900x1000x35	ES-DR01	Φ90Flow:55L/min
	800x1100x35	900x1100x35	ES-DR03	Φ90Flow:40L/min
	800x1200x35	900x1200x35	ES-DR02	Φ90Flow:55L/min
	800x1400x35	900x1400x35	ES-DR04	Φ90Flow:30L/min
	800x1500x35	900x1500x35		
	800x1600x35			
Material of the basin bottom			TRADITIONAL RESIN	

Colors




SERIES I0SR



Size			Floor Drain Cover	
700x900x35	800x1200x35	900x1200x35	ES-DR01	Φ90Flow:55L/min
700x1000x35	800x1400x35	900x1400x35	ES-DR03	Φ90Flow:40L/min
700x1200x35	800x1500x35		ES-DR02	Φ90Flow:55L/min
700x1400x35	800x1600x35		ES-DR04	Φ90Flow:30L/min
700x1600x35	800x1700x35			
700x1700x35	800x1800x35			
800x1000x35	800x2000x35			
Material of the basin bottom			TRADITIONAL RESIN	

Colors





SERIES I0SW



Size

700x900x35

800x1200x35

900x1200x35

Colors



Floor Drain Cover


ES-DR01 Φ 90Flow:55L/min

ES-DR02 Φ 90Flow:55L/min

ES-DR03 Φ 90Flow:40L/min

ES-DR04 Φ 90Flow:30L/min

SERIES I5SW



Size

700x1200x35

700x1400x35

800x1000x35

800x1200x35


800x1400x35

900x900x35

900x1200x35

900x1400x35

Colors



Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min

ES-DR02 Φ 90Flow:55L/min

ES-DR03 Φ 90Flow:40L/min

ES-DR04 Φ 90Flow:30L/min



SERIES 25MR



Size

800x1200x35

Floor Drain Cover


ES-DR01 Φ 90Flow:55L/min

ES-DR02 Φ 90Flow:55L/min

ES-DR03 Φ 90Flow:40L/min

ES-DR04 Φ 90Flow:30L/min

Colors



White Cream-yellow Dark grey Light grey Black

SERIES I3SS



Size

700x900x35

700x1000x35

80x1000x35

800x1200x35

800x1400x35

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min

ES-DR02 Φ 90Flow:55L/min


ES-DR03 Φ 90Flow:40L/min

ES-DR04 Φ 90Flow:30L/min

Colors



White Cream-yellow Dark grey Light grey Black



Drain cover



Texture




Drain cover



Texture

SERIES I0SS



Size			Floor Drain Cover	
700x1200x40	800x1000x40	900x1000x40	ES-DR01	Φ90Flow:55L/min
700x1400x40	800x1100x40	900x1100x40	ES-DR03	Φ90Flow:40L/min
700x1500x40	800x1200x40	900x1200x40	ES-DR02	Φ90Flow:55L/min
700x1600x40	800x1400x40	900x1400x40	ES-DR04	Φ90Flow:30L/min
700x1700x40	800x1500x40	900x1500x40	Material of the basin bottom TRADITIONAL RESIN	
	800x1600x40	900x1600x40		
	800x1700x40	900x1700x40		

Colors



SERIES I4SS



Size			Floor Drain Cover	
700x1200x40	800x1000x40	900x1000x40	ES-DR01	Φ90Flow:55L/min
700x1400x40	800x1100x40	900x1100x40	ES-DR03	Φ90Flow:40L/min
700x1500x40	800x1200x40	900x1200x40	ES-DR02	Φ90Flow:55L/min
700x1600x40	800x1400x40	900x1400x40	ES-DR04	Φ90Flow:30L/min
700x1700x40	800x1500x40	900x1500x40	Material of the basin bottom TRADITIONAL RESIN	
	800x1600x40	900x1600x40		
	800x1700x40	900x1700x40		

Colors





Drain cover



Texture



SERIES I 2SS



Size

800x1200x40
800x1400x40
900x1200x40
900x1400x40
900x1600x40

Colors




White Cream-yellow Dark grey Light grey Black

Floor Drain Cover

ES-DR01 $\Phi 90$ Flow:55L/min
ES-DR02 $\Phi 90$ Flow:55L/min
ES-DR03 $\Phi 90$ Flow:40L/min
ES-DR04 $\Phi 90$ Flow:30L/min

SERIES 2 6 MG



Size

80x12000x40

Colors



White Cream-yellow Dark grey Light grey Black

Floor Drain Cover

ES-DR01 $\Phi 90$ Flow:55L/min
ES-DR02 $\Phi 90$ Flow:55L/min
ES-DR03 $\Phi 90$ Flow:40L/min
ES-DR04 $\Phi 90$ Flow:30L/min



Drain cover



Texture




Drain cover



Texture

SERIES I 4 MR



Size

800x1000x40

800x1200x40

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min

ES-DR02 Φ 90Flow:55L/min

ES-DR03 Φ 90Flow:40L/min

ES-DR04 Φ 90Flow:30L/min

Colors



White


Cream-yellow

Dark grey

Light grey

Black

SERIES I 5MR



Size

800x1000x40

800x1200x40

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min

ES-DR02 Φ 90Flow:55L/min

ES-DR03 Φ 90Flow:40L/min

ES-DR04 Φ 90Flow:30L/min

Colors




White

Cream-yellow


Dark grey

Light grey

Black



Drain cover



Texture


SERIES I7SG



Size

800x1200x40
900x900x40
900x1200x40
1000x1200x40

Colors



Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

SERIES I0SG



Size

700x900x35 800x1000x35 900x1200x35
700x1000x35 800x1200x35 900x1400x35
700x1200x35 800x1400x35
700x1400x35 800x1600x35
700x1600x35

Colors




Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR04 Φ 90Flow:30L/min

Material of the basin bottom
TRADITIONAL RESIN

SERIES I0SG



Size

900x700x35
1000x700x35
1200x700x35
1400x700x35
1600x700x35
1000x800x35
1200x800x35
1400x800x35
1600x800x35
1200x900x35
1400x900x35




Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



SERIES I0ST



Size

1200x800x35
900x900x35
1400x900x35
1600x900x35


Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



SERIES I1SR



Size

1200x800x35
900x900x35
1400x900x35
1600x900x35


Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



SERIES I1ST



Size

1200x800x35
900x900x35
1400x900x35
1600x900x35

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



SERIES 25QB2



Size

800x800x28
900x900x28
1000x1000x28

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



White

SERIES RB12



Size

800x800x40
900x900x40

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



White

SERIES RS12



Size

800x800x40
900x900x40

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



White


Cream-yellow

Dark grey

Light grey

Black

SERIES RS25



Size

800x800x28
900x900x28

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



White



5
Years Guarantee

EN
14527

CE

ISO
9001

UPC
C

- Non -alkali fiber glass
- Unsaturated resin
- Aluminium hydroxide
- Curing agent
- Color paste, etc.

Material of the basin bottom

SMC



Drain cover



Texture



Drain cover



Texture

SERIES RES



Size

700x700x26	800x800x26	900x900x26
700x800x26	800x1000x26	900x1000x26
700x900x26	800x1100x26	900x1100x26
700x1000x26	800x1200x26	900x1200x26
700x1100x26	800x1300x26	900x1300x26
700x1200x26	800x1400x26	900x1400x26
700x1300x26	800x1500x26	900x1500x26
700x1400x26	800x1600x26	900x1600x26
700x1500x26	800x1700x26	900x1700x26
700x1600x26	800x1800x26	900x1800x26
700x1700x26		
700x1800x26		

Floor Drain Cover

ES-DR01	Φ90Flow:55L/min
ES-DR03	Φ90Flow:40L/min
ES-DR02	Φ90Flow:55L/min
ES-DR04	Φ90Flow:30L/min

Colors



White Light grey Black

Carrara White Carrara Black

SERIES RLS



Size

700x900x30	800x800x30	900x900x30
700x1000x30	800x900x30	900x1000x30
700x1100x30	800x1000x30	900x1100x30
700x1200x30	800x1100x30	900x1200x30
700x1300x30	800x1200x30	900x1300x30
700x1400x30	800x1300x30	900x1400x30
700x1500x30	800x1400x30	900x1500x30
700x1600x30	800x1500x30	900x1600x30
700x1700x30	800x1600x30	900x1700x30
700x1800x30	800x1700x30	900x1800x30
	800x1800x30	1000x1000x30

Floor Drain Cover

ES-DR01	Φ90Flow:55L/min
ES-DR03	Φ90Flow:40L/min
ES-DR02	Φ90Flow:55L/min
ES-DR04	Φ90Flow:30L/min

Colors




White Light grey Black

Carrara White Carrara Black



SERIES RTA



Size

60"x30"x4"

60"x32"x4"

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min

ES-DR02 Φ 90Flow:55L/min

ES-DR03 Φ 90Flow:40L/min


ES-DR04 Φ 90Flow:30L/min

Colors



White Light grey Black Carrara White Carrara Black

SERIES RTB



Size

48"x32"x4"

48"x36"x4"

60"x30"x4"

60"x32"x4"

60"x34"x4"

60"x36"x4"

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min

ES-DR02 Φ 90Flow:55L/min

ES-DR03 Φ 90Flow:40L/min

ES-DR04 Φ 90Flow:30L/min


Colors



White Light grey Black Carrara White Carrara Black



SERIES RTC



Size

36"x36"x4"
 48"x32"x4"
 48"x36"x4"
 60"x30"x4"
 60"x32"x4"
 60"x36"x4"
 60"x42"x4"
 70"x36"x4"


Colors



Floor Drain Cover

ES-DR01 $\Phi 90$ Flow:55L/min
ES-DR02 $\Phi 90$ Flow:55L/min
ES-DR03 $\Phi 90$ Flow:40L/min
ES-DR04 $\Phi 90$ Flow:30L/min

SERIES RTD



Size


48"x36"x4"
 48"x38"x4"
 60"x30"x4"
 60"x32"x4"
 60"x34"x4"
 60"x36"x4"

Colors



Floor Drain Cover


ES-DR01 $\Phi 90$ Flow:55L/min
ES-DR02 $\Phi 90$ Flow:55L/min
ES-DR03 $\Phi 90$ Flow:40L/min
ES-DR04 $\Phi 90$ Flow:30L/min



Drain cover



Texture




Drain cover



Texture

SERIES RCS



Size

700x1000x26	800x1400x26	900x1700x26
700x1100x26	800x1500x26	900x1800x26
700x1200x26	800x1600x26	900x2000x26
700x1400x26	800x1700x26	1000x1200x26
700x1500x26	800x1800x26	1000x1400x26
700x1600x26	800x2000x26	1000x1500x26
700x1700x26	900x1000x26	1000x1600x26
700x1800x26	900x1100x26	1000x1700x26
700x2000x26	900x1200x26	1000x1800x26
800x1000x26	900x1400x26	1000x2000x26
800x1100x26	900x1500x26	
800x1200x26	900x1600x26	

Floor Drain Cover

ES-DR01	Φ90Flow:55L/min
ES-DR03	Φ90Flow:40L/min
ES-DR02	Φ90Flow:55L/min
ES-DR04	Φ90Flow:30L/min

Colors



Carrara White Carrara Black

SERIES RKS



Size

800x1000x30	900x1000x30
800x1200x30	900x1200x30
800x1400x30	900x1400x30
800x1500x30	900x1500x30
800x1600x30	900x1600x30
800x1700x30	900x1700x30
800x1800x30	900x1800x30
800x2000x30	900x2000x30

Floor Drain Cover

ES-DR01	Φ90Flow:55L/min
ES-DR03	Φ90Flow:40L/min
ES-DR02	Φ90Flow:55L/min
ES-DR04	Φ90Flow:30L/min

Colors




Carrara White Carrara Black



Drain cover



Texture



Drain cover



Texture

SERIES RUS



Size

700x700x30	800x1200x30	900x1700x30
700x800x30	800x1400x30	900x1800x30
700x900x30	800x1500x30	1000x1000x30
700x1000x30	800x1600x30	1000x1100x30
700x1200x30	800x1700x30	1000x1200x30
700x1400x30	800x1800x30	1000x1300x30
700x1524x30	900x900x30	1000x1400x30
700x1600x30	900x1000x30	1000x1500x30
700x1700x30	900x1200x30	1000x1600x30
700x1800x30	900x1400x30	1000x1700x30
800x800x30	900x1500x30	1000x1800x30
800x900x30	900x1600x30	1000x2000x30
800x1000x30		

Floor Drain Cover

ES-DR01	Φ90Flow:55L/min
ES-DR03	Φ90Flow:40L/min
ES-DR02	Φ90Flow:55L/min
ES-DR04	Φ90Flow:30L/min

Colors



SERIES RSS




Size

700x900x26/32	800x800x26/32	900x900x26/32
700x1000x26/32	800x1000x26/32	900x1200x26/32
700x1100x26/32	800x1200x26/32	900x1400x26/32
700x1200x26/32	800x1400x26/32	900x1500x26/32
700x1400x26/32	800x1500x26/32	900x1600x26/32
700x1500x26/32	800x1600x26/32	900x1700x26/32
700x1600x26/32	800x1700x26/32	900x1800x26/32
700x1700x26/32	800x1800x26/32	

Floor Drain Cover

ES-DR01	Φ90Flow:55L/min
ES-DR03	Φ90Flow:40L/min
ES-DR02	Φ90Flow:55L/min
ES-DR04	Φ90Flow:30L/min

Colors



SERIES REU2



Size

800x800x40
900x900x40

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



SERIES RAU



Size

900x900x40
900x1200x40

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



SERIES REU



Size

800x800x40
800x1200x40
800x1400x40
900x900x40
900x1200x40
900x1400x40

Floor Drain Cover

ES-DR01 Φ 90Flow:55L/min
ES-DR02 Φ 90Flow:55L/min
ES-DR03 Φ 90Flow:40L/min
ES-DR04 Φ 90Flow:30L/min

Colors



DRAINER



ES-DR01
Φ90Flow:55L/min

Material: 304stainless steel ,ABS body
Size: outlet 40mm
Hole size: 90mm
Installing height:56mm
Water flow: 55L/min
Water seal: 30mm



ES-DR02
Φ90Flow:55L/min

Material: 304stainless steel ,ABS body
Size: outlet 40mm
Hole size: 90mm
Installing height:56mm
Water flow: 55L/min
Water seal: 30mm



ES-DR03
Φ90Flow:40L/min

Material:ABS body
Size: outlet 40mm
Hole size: 90mm
Installing height:40mm
Water flow: 40L/min
Water seal: 22mm



ES-DR04
Φ90Flow:30L/min

Material: 304stainless steel ,PP body
Size: outlet 40mm
Hole size: 90mm
Installing height:80mm
Water flow: 30L/min
Water seal: 35mm



ES-DR05
Φ90Flow:51L/min

Material: PP body
Size: outlet 40mm
Hole size: 192x50mm
Installing height:63mm
Water flow: 51L/min
Water seal: 31mm

Applicable shower tray



Applicable shower tray



Applicable shower tray



PRODUCT PACKAGE

Every product undergoes a thorough quality inspection by the QC department to ensure flawless performance. Once approved, the shower tray is carefully cleaned and delivered to the packaging department.



Step 1

Shower tray is first secured with a durable PP bag for surface protection. This step ensures the tray remains free from scratches and dirt during transport. An EPE foam layer is added around the tray for comprehensive protection, effectively absorbing shocks and preventing damage during handling and shipping.



Step 2

Shower tray is packed within a reinforced five-layer corrugated carton, ensuring exceptional durability and strength during transit. EPE foam sheet is carefully placed over the tray to provide additional cushioning and prevent any surface damage. The cover is securely packaged and adhered to the designated position, while a detailed instruction manual is included for user convenience. This design guarantees the product arrives in pristine condition, ready for installation.



Step 3

To ensure maximum protection during shipping, our products are securely packed in a reinforced wooden crate. The base pallet is made of fumigated wood, meeting all export requirements and ensuring safe handling across borders.



Step 4

The pallet is designed to accommodate products of varying dimensions, ensuring a flexible assembly process. This approach maximizes space utilization while maintaining exceptional packaging strength and stability, providing a reliable solution for efficient transportation.



Step 5



Each package is securely wrapped with stretch film. This additional layer not only reinforces the packaging structure but also provides excellent protection against external elements.



Step 6

After the pallets are securely loaded into the container, any remaining space is efficiently utilized for bulk goods. This maximizes container capacity, ensuring cost-effective shipping while maintaining product safety and stability during transportation.


INSTALLATION INSTRUCTION



Measuring Tape



Pencil



Spirit Level



Trowel



Adhesive





Masking Tape




Cement And Fine Sand



Bucket



HOW TO USE ADJUSTABLE PEDESTAL




Riser panel



Adjustable pedestal



Screw




Power drill



Structural adhesive



Spirit level



HOW TO USE REPAIR KIT




Repair material



Measuring glass



Brush




Sandpaper



Film scraper



Sanding block



MAINTENANCE & CARE MANUAL

For Resin-Based Artificial Stone Shower Tray

1. Daily Cleaning Routine

Rinse surface thoroughly with warm water after each use
 Use pH-neutral cleaner (e.g., liquid dish soap) and soft microfiber cloth
 Wipe along the natural grain pattern of the surface
 Dry with squeegee or soft towel to prevent water spots
 Avoid letting soap scum/hair products sit >30 minutes

2. Weekly Deep Cleaning

Prepare solution: 1:4 white vinegar to warm water
 Apply with non-abrasive sponge
 Let sit 3-5 minutes (max 10 minutes for tough stains)
 Scrub gently using circular motions
 Rinse thoroughly with clean water
 Buff dry with chamois leather

3. Stain Treatment Guide

Stain Type	Solution Method
Hard Water	Lemon juice + baking soda paste Apply 10 mins, gentle scrub
Soap Scum	Commercial resin-safe cleaner Follow manufacturer instructions
Rust	3% hydrogen peroxide Spot test first, max 5 mins contact
Mold	1:10 bleach solution Never mix with other chemicals

4. Protective Measures

Use rubber-backed bath mat (remove after use)	No acetone-based products
Install water softener if hardness > 120 ppm	Avoid prolonged exposure to hair dyes
Apply protective sealer every 6-12 months	Never use steel wool/scouring pads

5. Thermal Protection

Maximum heat resistance: 100°C
 Allow hot items (e.g., shavers, candles) to cool before contact
 Never pour boiling water directly

6. Structural Maintenance

Check silicone seals monthly
 Inspect drainage monthly
 Re-level if settlement occurs (>3mm deviation)
 Support weight capacity: 800kg dynamic / 1500kg static

7. Repair Protocol

Minor scratches: Use manufacturer-provided repair kit
 Chips >5mm: Contact certified technician
 Discoloration: Professional resurfacing required

8. Warranty Considerations

⚠ Void if:

- Acidic cleaners used
- Thermal shock occurs
- Modified drainage system
- Unapproved adhesives applied

9. Seasonal Care

Winter: Maintain room temp >50°F (10°C) Drain pipes if unused >72hrs in freezing temps	Summer: Ventilate daily to prevent humidity buildup Use dehumidifier if RH >65%
---	--

10. Compatibility Chart

Safe: <ul style="list-style-type: none"> • Silicone-based products • Enzyme cleaners • Baking soda 	Unsafe: <ul style="list-style-type: none"> • Citrus degreasers • Ammonia solutions • Abrasive powders
---	--